



funis m square

pureWhite

TECHNICAL DATASHEET

funis m square

pureWhite

Technical Data

Dimensions 200 mm x 200 mm [B x T]
7.9 in x 7.9 in [B x T]

Fixture Typ



pureWhite

Color Temperatures pureWhite 3000 K

Beam Angles 46°, 66°

Luminous Flux 1900 lm

Light Source 1 LED(s)

Color Rendering Index $R_a \geq 97$

LED-Binning



MacAdam Ellipses Binning 2

Dimming Dimmable (DMX , DALI)

Power Consumption Max. 25 W

Housing Aluminium

Housing Color(s) project-specific Color RAL 9004 / 9011



Lens PMMA

Environment



indoor

Beam Angles



Engineering Drawing

Deckenmontagehalter

Dimensions are in millimeters [inch]
All product specifications are subject to change without prior notice.

	Description	Scale
	funis m square 2000 P1152008	1:5
Revision	Page size	Page
		A4



Lindberghstrasse 15
86343 Koenigsbrunn
Tel: +49 (0)8231/95787-0
Fax: +49 (0)8231/95787-29
www.biontechnologies.com
info@biontechnologies.com

YouTube: <http://www.youtube.com/user/BIONTECHNOLOGIES>

© 2016, BION TECHNOLOGIS GMBH
All rights reserved / Subject to change / Specifications may change without notice