



tectum uv


pureColor

TECHNICAL DATASHEET


Technical Data

Dimensions	Diameter: 125 mm (4.92 in), Height: 65 mm (2.56 in)	
Fixture Typ	 pureColor	
Beam Angles	10°, 23°, 43°	
Light Source	9 LED(s)	
Dimming	Non-dimmable Dimmable (DMX)	
Input Voltage	Power supply: external 36 VDC	
Power Consumption	Max. 15 W	
Protection Class	II	
Housing	Aluminum Heat sink: Titan anodized	
Housing Color(s)	 Aluminium anodized (Standard)Titanium anodizedBlack anodized	
Frame	Natural anodized (Standard), Titan anodized, Black anodized	
Installation Depth	63 mm (2.49 in)	
Cut-out	Diameter: 115 mm (4.52 in)	
Ingress Protection	IP20	
Environment	 indoor	
Certification	  	

Beam Angles



Engineering Drawing





Lindberghstrasse 15
86343 Koenigsbrunn
Tel: +49 (0)8231/95787-0
Fax: +49 (0)8231/95787-29
www.biontechnologies.com
info@biontechnologies.com

YouTube: <http://www.youtube.com/user/BIONTECHNOLOGIES>

© 2023, BION TECHNOLOGIS GMBH
All rights reserved / Subject to change / Specifications may change without notice